[Plumbing Code - Circuit Venting]

Ordinance amending the Plumbing Code to prohibit the use of circuit venting unless approved as an alternative engineered design; affirming the Planning Department's determination under the California Environmental Quality Act; making findings under the California Health and Safety Code; and directing the Clerk of the Board of Supervisors to forward this Ordinance to the California Building Standards Commission upon final passage.

NOTE: Unchanged Code text and uncodified text are in plain Arial font.

Additions to Codes are in single-underline italics Times New Roman font.

Deletions to Codes are in strikethrough italics Times New Roman font.

Board amendment additions are in double-underlined Arial font.

Board amendment deletions are in strikethrough Arial font.

Asterisks (* * * *) indicate the omission of unchanged Code subsections or parts of tables.

Be it ordained by the People of the City and County of San Francisco:

Section 1. General Findings.

- (a) The Planning Department has determined that the actions contemplated in this ordinance comply with the California Environmental Quality Act (California Public Resources Code Sections 21000 et seq.). Said determination is on file with the Clerk of the Board of Supervisors in File No. 170973 and is incorporated herein by reference. The Board affirms this determination.
- (b) On August 16, 2017, the Building Inspection Commission considered this ordinance at a duly noticed public hearing pursuant to Charter Section D3.750-5.

Section 2. Findings under California Health and Safety Code Section 17958.7.

Because the unique topography of San Francisco has led to the development of a high density of buildings on very small lots with many buildings built up to the property lines, the Board of Supervisors hereby finds that the following modification to the 2016 California Plumbing Code is reasonably necessary because of local topographical conditions.

Section 3. The Plumbing Code is hereby amended by revising Section 911.0 of the 2016 California Plumbing Code, to read as follows:

911.0 **Circuit Venting.** <u>Circuit venting is not permitted unless it is approved as an alternative engineered design in accordance with Section 301.5 of this Code.</u>

911.1. Circuit Vent Permitted. A maximum of eight fixtures connected to a horizontal branch drain shall be permitted to be circuit vented. Each fixture drain shall be permitted to be circuit vented. Each fixture drain shall connect horizontally to the horizontal branch being circuit vented. The horizontal branch drain shall be classified as a vent from the most downstream fixture drain connection to the most upstream fixture drain connection to the horizontal branch.

permitted to be connected together. Each group of a maximum of eight fixtures shall be considered a separate circuit vent and shall be in accordance with the requirements of this section.

911.2. Vent Size and Connection. The circuit vent shall not be less than 2 inches (50 mm) in diameter and the connection shall be located between the two most upstream fixture drains. The vent shall connect to the horizontal branch on the vertical. The circuit vent pipe shall not receive the discharge of a soil or waste.

911.1.1. Multiple Circuit-Vented Branches. Circuit-vented horizontal branch drains are

911.3. Slope and Size of Horizontal Branch. The slope of the vent section of the horizontal branch drain shall be not more than 1 inch per foot (83.3 mm/m). The entire length of the vented section of the horizontal branch drain shall be sized for the total drainage discharge to the branch.

911.3.1. Size of Multiple Circuit Vent. Multiple circuit vented branches shall be permitted to
connect on the same floor level. Each separate circuit-vented horizontal branch that is interconnected
shall be sized independently in accordance with Section 911.3. The downstream circuit-vented
horizontal branch shall be sized for the total discharge into the branch, including the upstream
branches and the fixtures within the branch.
911.4. Relief Vent. A 2 inch (50 mm) relief vent shall be provided for circuit-vented horizontal
branches receiving the discharge of four or more water closets and connecting to a drainage stack that
receives the discharge of soil or waste from upper horizontal branches.

911.4.1. Connection and Installation. The relief vent shall connect to the horizontal branch drain between the stack and the most downstream fixture drain of the circuit vent. The relief vent shall be installed on the vertical to the horizontal branch.

911.4.2. Fixture Drain or Branch. The relief vent is permitted to be a fixture drain or fixture branch for a fixture located within the same branch interval as the circuit-vented horizontal branch. The discharge to a relief vent shall not exceed 4 fixture units.

911.5. Additional Fixtures. Fixtures, other than the circuit-vented fixtures, are permitted to discharge to the horizontal branch drain. Such fixtures shall be located on the same floor as the circuit-vented

fixtures and shall be either individually or common vented.

Section 4. Effective Date. This ordinance shall become effective 30 days after enactment. Enactment occurs when the Mayor signs the ordinance, the Mayor returns the ordinance unsigned or does not sign the ordinance within ten days of receiving it, or the Board of Supervisors overrides the Mayor's veto of the ordinance.

Section 5. Scope of Ordinance. In enacting this ordinance, the Board of Supervisors intends to amend only those words, phrases, paragraphs, subsections, sections, articles,

numbers, punctuation marks, charts, diagrams, or any other constituent parts of the Municipal Code that are explicitly shown in this ordinance as additions, deletions, Board amendment additions, and Board amendment deletions in accordance with the "Note" that appears under the official title of the ordinance.

Section 6. Directions to the Clerk. The Clerk of the Board of Supervisors is hereby directed to forward a copy of this ordinance to the California Building Standards Commission upon final passage.

APPROVED AS TO FORM:

DENNIS J. HERRERA, City Attorney

By:

Deputy City Attorney

n:\legana\as2017\1700716\01209438.docx



City and County of San Francisco **Tails**

City Hall 1 Dr. Carlton B. Goodlett Place San Francisco, CA 94102-4689

Ordinance

File Number:

170973

Date Passed: April 24, 2018

Ordinance amending the Plumbing Code to prohibit the use of circuit venting unless approved as an alternative engineered design; affirming the Planning Department's determination under the California Environmental Quality Act; making findings under the California Health and Safety Code; and directing the Clerk of the Board of Supervisors to forward this Ordinance to the California Building Standards Commission upon final passage.

April 09, 2018 Land Use and Transportation Committee - RECOMMENDED

April 17, 2018 Board of Supervisors - PASSED ON FIRST READING

Ayes: 11 - Breed, Cohen, Fewer, Kim, Peskin, Ronen, Safai, Sheehy, Stefani, Tang and Yee

April 24, 2018 Board of Supervisors - FINALLY PASSED

Ayes: 11 - Breed, Cohen, Fewer, Kim, Peskin, Ronen, Safai, Sheehy, Stefani, Tang and Yee

File No. 170973

I hereby certify that the foregoing Ordinance was FINALLY PASSED on 4/24/2018 by the Board of Supervisors of the City and County of San Francisco.

Clerk of the Board

Mayor